AUTHOR INDEX

Abboud, S. and Strasberg, B. Fourier transform *versus* bidirectional digital filters for late potentials recording in the electrocardiogram, 133
Agarwal, R.: *see* Singh, V.R., 360
Ajmani, R.: *see* Puniyani, R.R., 441
Andersen, K., Mortensen, H.T., Pedersen, E.H. and Melsen, B. Determination of stress levels and profiles in the periodontal ligament by means of an improved three-dimensional finite element model for various types of orthodontic and natural force systems, 293
Apkarian, J.A.: *see* Naumann, S., 67
Ashley S., Brooks S.G., Cehani A.A., Thorley P., Parkin A., Kester R.C. and Rees M.R. Isotope limb blood flow measurement in patients undergoing peripheral laser angioplasty, 221
Aspden, R.M., Larsson, T., Svensson, R. and Heinegard, D. Computer-controlled mechanical testing machine for small samples of biological viscoelastic materials, 521
Audet, J.: *see* Yahia, L.H., 399
Austriaco, N.R., Williams, J.L. and Drummond, D.S. Trabecular bone densitometry using interactive image analysis, 486
Badran, A.K., Durrani, T.S., Fisher, A.C. and Paul, J.P. An automatic matching technique for patient alignment, 281
Baker, J.: *see* Woollons, D.J., 19
Baker, R.J. and Colvin, J.B. The future of biomedical engineering: IBEES Prize Lecture, 267
Barnes M.D., Peppiatt T.N. and Mani R. Glimpses into measurements of the microcirculation in skin, 185
Barr, D.A., Kernohan, W.G., McCoy, G.F. and Mollan, R.A.B. Vibration arthrography in assessment of knee disorders: the problem of angular velocity, 35
Bartlett, M.L.R.: *see* Dunlop, W., 169
Berchtold, R.: *see* Gasser, B., 287
Bergmann, G.: *see* Graichen, F., 370
Birch, M., Stock, C. and Humphries, C. Nasal resonometer: an instrument for the assessment and treatment of hypernasality, 429
Blamey J., Rajan S., Unsworth A. and Dawber R. Soft-layered prostheses for arthritic hip joints: a study of materials degradation, 180
Bogaard, J.M.: *see* Verbraak, A.F.M., 27
Bolomey, J. Ch: *see* Hawley, M.S., 197
Bond, K.: *see* Randall, N.S., 481
Borrello, M.A.: *see* Guillaume, D.W., 77
Bowker, P. and Liggins, A.B. A simple low cost foot-switch, 87
Brooks, S.G.: *see* Ashley, S., 221
Broquetas, A.: *see* Hawley, M.S., 197
Bulgheroni, M.V.: *see* Zangemeister, W.H., 451
Bull, D.R., Nokes, L.D.M. and Frampton, R. Detection of internal fixation plate loosening by means of an analysis of vibratory response, 321
Bullough W.A. Electro-rheological fluids: an introduction for biomedical applications, 234
Byrne, P.O.: *see* Essex, T.J.H., 189
Cagnoni, S.: *see* Valli, G., 119
Candadai, R.: *see* Reddy, N.P., 379
Canilang, E.P.: *see* Reddy, N.P., 379
Carolan, G.: *see* Morgan, R.H., 244
Castaldo, R., Clemente, F. and Quarto, E. Real-time FFT analyzer to muscle fatigue monitoring, 465
Casterline, J.: *see* Reddy, N.P., 379
Chappell P.H. and Kyberd P.J. Prehensile control of a hand prosthesis by a microcontroller, 363
Clemente, F.: *see* Castaldo, R., 465
Cochrane, T. Simple model of circulatory system dynamics including heart valve mechanics, 335
Cohen, D.: *see* Goovaerts, H.G., 495
Colchester, A.C.F.: *see* Seifalian, A.M., 225
Colvin, J.B.: *see* Baker, R.J., 267
Cooke, T.D.V.: *see* Wever, H.W., 341
Coppini, G.: *see* Valli, G., 119
Crawshaw, A.H.: *see* Rahmatalla, A.T., 97
Dalton, K.J.: *see* Goovaerts, H.G., 495
Dawber, R.: *see* Blamey, J., 180
de Biasi, J. and Rekik, L. Four compartment mammillary model of the pharmacokinetics of a spiroarsorane administered orally to rabbits, 439
de Kock, J.P. and Tarassenko, L. *In vitro* investigation of the factors affecting pulse oximetry, 61
de Vries, J.: *see* Verbraak, A.F.M., 27
DeVries, D.: *see* Guillaume, D.W., 526
Deane, C.R., Forsberg, F., Thomas, N. and Roberts, V.C. Accuracy of colour Doppler ultrasound velocity measurements in small vessels, 249
Dove, J.: *see* Rahmatalla, A.T., 97
Doyle, D.J. Time constant-related capnograph distortion: a theoretical analysis, 500
Draper, E. IBEES Prize Lecture: The future of biomedical engineering, 529
Dripps, J.H.: *see* Goovaerts, H.G., 495
Drouin, G.: *see* Yahia, L.H., 399
Drummond, D.S.: *see* Austriaco, N.R., 486
Dujovne, A.R.: *see* Wever, H.W., 341
Dumas, G.A. and Rao, A.A. Influence of material properties on the mechanical behaviour of the L_5-S_1 intervertebral disc in compression: a nonlinear finite element study, 139
Dunlop W., Bartlett M.L.R. and Murray A. Properties of fetal heartbeat intervals during labour, 169
Dunn, J.W.: *see* Thomas, A.M.C., 58
Durrani, T.S.: *see* Badran, A.K., 281
Einav, S.: *see* Elad, D., 10
Elad D., Katz D., Kimmel E. and Einav S. Numerical schemes for unsteady fluid flow through collapsible tubes, 10
Essex T.J.H. and Byrne P.O. A laser Doppler scanner for imaging blood flow in skin, 189
Evans, G.P.: *see* Langton, C.M., 113
Evans, N.E. and Hajnayebi, H.R. Clinical temperature acquisition using proximity telemetry, 83
Fisher, A.C.: *see* Badran, A.K., 281
Foort, J.: *see* Morrison, J.B., 3
Forsberg, F.: *see* Deane, C.R., 249
Frampton, R.: *see* Bull, D.R., 321
Fraunhofer, J.A. and Stidham, S.H. Effects of fused-ring antibiotics on metallic corrosion, 424
Fumero, R.: *see* Pietrabissa, R., 407
Gaboriaud, G.: *see* Hawley, M.S., 197
Gammie, A.R.: *see* Hillman, M.R., 239
Gammie, A.: *see* Pullin, G., 215
Gasser, B., Russenberger, M.E., Berchtold, R., Wyder, D. and Perren, S.M. Value of coining on the improvement of endurance in slotted intramedullary nails, 287
Gehani, A.A.: *see* Ashley, S., 221
Ghista, D.: *see* Mazumdar, J., 473
Godlewski, P., Nagurka, M. and Wholey, M. Engineering investigation of the Kensey dynamic angioplasty catheter, 391
Goovaerts, H.G. and Rompelman, O. Coherent average technique – a tutorial review, 275
Goovaerts, H.G., Cohen, D., Dripps, J.H., Mantel, R., Mooney, P., Jongsma, H.W., Dalton, K.J. and van Geijn. A comparative clinical study of fetal phono-and movement-sensors from Amsterdam, Cambridge and Edinburgh, 495
Gough, M.J. and Hardy, S.C. Pharmacological manipulation of gastrocnemius muscle blood in an animal model of reperfusion injury, 263
Graichen F. and Bergmann G. Four-channel telemetry system for *in vivo* measurement of hip joint forces, 370
Guillaume, D.W. and Borrello, M.A. Simulating gas flow through the exhalation leg of a respirator's patient circuit, 77
Guillaume, D.W. and DeVries, D. Improving the pneumatic nebulizer by shaping the discharge of the capillary wick, 526
Guiot, C. and Losano, G. Relationship between hyperaemic response and visco-elastic properties in the coronary circulation of the dog, 459
Guzzwell, J.A.: *see* Wevers, H.W., 341
Hajnayebi, H.R.: *see* Evans, N.E., 83
Hardingham, C.R.: *see* Seifalian, A.M., 225
Hardy, S.C.: *see* Gough, M.J., 263
Harness J.B., Nasimi S.G.A.A., Mearns A.J. and Heath I. Quantitative measurement of sympathetic neuropathy in patients with diabetes mellitus, 203
Hastings, G.W.: *see* Rahmatalla, A.T., 97
Hastings, G.W.: *see* Knowles, J.C., 176
Hawkes, D.J.: *see* Seifalian, A.M., 225
Hawley M.S., Broquetas A, Jofre L, Bolomey J. Ch. and Gaboriaud G. Microwave imaging of tissue blood content changes, 197
Heath, I.: *see* Harness, J.B., 203
Heathfield, H.A., Winstanley, G. and Kirkham, N. Decision support system for the differential diagnosis of breast disease, 51
Heinegard, D.: *see* Aspden, R.M., 521
Hendershot, D.M.: *see* Phillips, C.A., 91
Hillman M.R., Pullin G.M., Gammie A.R., Stammers C.W. and Orpwood R.D. Clinical experience in rehabilitation robotics, 239
Hinrichs, H. EEG data compression by source coding techniques, 417
Hitchings, D.J. and Rostron, D.W. Production of reliability proven physiological data for use in automated monitoring and diagnostic systems, 255
Hon, Min-Hsiung: *see* Lin, Feng-Huei, 328
Hoopes, P.J.: *see* Ryan, T.P., 348
Hoorn, E.: *see* Verbraak, A.F.M., 27
Horwood, J.M.K.: *see* Woollons, D.J., 19
Huang, Yi-You: *see* Lin, Feng-Huei, 328
Humphries, C.: *see* Birch, M., 429
Hwang, N.H.C. and Shu, M.C.S. Haemodynamics of angioaccess venous anastomoses, 103
Jofre, L.: *see* Hawley, M.S., 197
Jongsma, H.W.: *see* Goovaerts, H.G., 495
Joshi, A.M.: *see* Reddy, N.P., 379
Kale, P.A.: *see* Puniyani, R.R., 441
Katz, D.: *see* Elad, D., 10
Kekwick, C.A.: *see* Woollons, D.J., 19
Kent, B.P., Wilkinson, D., Parkin, A. and Kester, R.C. Comparing subjective and objective assessments of the severity of vibration induced white finger, 260
Kent, P., Williams, G. and Kester, R.C. Altered sensitivity of digital blood flow to acute vibration in patients with vasospastic disease, 269
Kernohan, W.G.: *seed* Barr, D.A., 35
Kester, R.C.: *see* Ashley, S., 221
Kester, R.C.: *see* Kent, B.P., 260
Kester, R.C.: *see* Kent, P., 269
Khoo, B.C.C., McQueen, M.P.C. and Sandle, W.J. Use of texture analysis to discriminate between normal livers and livers with steatosis, 489
Kimmel, E.: *see* Elad, D., 10
Kirkham, N.: *see* Heathfield, H.A., 51

AUTHOR INDEX

Abboud, S. and Strasberg, B. Fourier transform *versus* bidirectional digital filters for late potentials recording in the electrocardiogram, 133
Agarwal, R.: *see* Singh, V.R., 360
Ajmani, R.: *see* Puniyani, R.R., 441
Andersen, K., Mortensen, H.T., Pedersen, E.H. and Melsen, B. Determination of stress levels and profiles in the periodontal ligament by means of an improved three-dimensional finite element model for various types of orthodontic and natural force systems, 293
Apkarian, J.A.: *see* Naumann, S., 67
Ashley S., Brooks S.G., Cehani A.A., Thorley P., Parkin A., Kester R.C. and Rees M.R. Isotope limb blood flow measurement in patients undergoing peripheral laser angioplasty, 221
Aspden, R.M., Larsson, T., Svensson, R. and Heinegard, D. Computer-controlled mechanical testing machine for small samples of biological viscoelastic materials, 521
Audet, J.: *see* Yahia, L.H., 399
Austriaco, N.R., Williams, J.L. and Drummond, D.S. Trabecular bone densitometry using interactive image analysis, 486
Badran, A.K., Durrani, T.S., Fisher, A.C. and Paul, J.P. An automatic matching technique for patient alignment, 281
Baker, J.: *see* Woollons, D.J., 19
Baker, R.J. and Colvin, J.B. The future of biomedical engineering: IBEES Prize Lecture, 267
Barnes M.D., Peppiatt T.N. and Mani R. Glimpses into measurements of the microcirculation in skin, 185
Barr, D.A., Kernohan, W.G., McCoy, G.F. and Mollan, R.A.B. Vibration arthrography in assessment of knee disorders: the problem of angular velocity, 35
Bartlett, M.L.R.: *see* Dunlop, W., 169
Berchtold, R.: *see* Gasser, B., 287
Bergmann, G.: *see* Graichen, F., 370
Birch, M., Stock, C. and Humphries, C. Nasal resonometer: an instrument for the assessment and treatment of hypernasality, 429
Blamey J., Rajan S., Unsworth A. and Dawber R. Soft-layered prostheses for arthritic hip joints: a study of materials degradation, 180
Bogaard, J.M.: *see* Verbraak, A.F.M., 27
Bolomey, J. Ch: *see* Hawley, M.S., 197
Bond, K.: *see* Randall, N.S., 481
Borrello, M.A.: *see* Guillaume, D.W., 77
Bowker, P. and Liggins, A.B. A simple low cost foot-switch, 87
Brooks, S.G.: *see* Ashley, S., 221
Broquetas, A.: *see* Hawley, M.S., 197
Bulgheroni, M.V.: *see* Zangemeister, W.H., 451
Bull, D.R., Nokes, L.D.M. and Frampton, R. Detection of internal fixation plate loosening by means of an analysis of vibratory response, 321
Bullough W.A. Electro-rheological fluids: an introduction for biomedical applications, 234
Byrne, P.O.: *see* Essex, T.J.H., 189
Cagnoni, S.: *see* Valli, G., 119
Candadai, R.: *see* Reddy, N.P., 379
Canilang, E.P.: *see* Reddy, N.P., 379
Carolan, G.: *see* Morgan, R.H., 244
Castaldo, R., Clemente, F. and Quarto, E. Real-time FFT analyzer to muscle fatigue monitoring, 465
Casterline, J.: *see* Reddy, N.P., 379
Chappell P.H. and Kyberd P.J. Prehensile control of a hand prosthesis by a microcontroller, 363
Clemente, F.: *see* Castaldo, R., 465
Cochrane, T. Simple model of circulatory system dynamics including heart valve mechanics, 335
Cohen, D.: *see* Goovaerts, H.G., 495
Colchester, A.C.F.: *see* Seifalian, A.M., 225
Colvin, J.B.: *see* Baker, R.J., 267
Cooke, T.D.V.: *see* Wever, H.W., 341
Coppini, G.: *see* Valli, G., 119
Crawshaw, A.H.: *see* Rahmatalla, A.T., 97
Dalton, K.J.: *see* Goovaerts, H.G., 495
Dawber, R.: *see* Blamey, J., 180
de Biasi, J. and Rekik, L. Four compartment mammillary model of the pharmacokinetics of a spiroarsorane administered orally to rabbits, 439
de Kock, J.P. and Tarassenko, L. *In vitro* investigation of the factors affecting pulse oximetry, 61
de Vries, J.: *see* Verbraak, A.F.M., 27
DeVries, D.: *see* Guillaume, D.W., 526
Deane, C.R., Forsberg, F., Thomas, N. and Roberts, V.C. Accuracy of colour Doppler ultrasound velocity measurements in small vessels, 249
Dove, J.: *see* Rahmatalla, A.T., 97
Doyle, D.J. Time constant-related capnograph distortion: a theoretical analysis, 500
Draper, E. IBEES Prize Lecture: The future of biomedical engineering, 529
Dripps, J.H.: *see* Goovaerts, H.G., 495
Drouin, G.: *see* Yahia, L.H., 399
Drummond, D.S.: *see* Austriaco, N.R., 486
Dujovne, A.R.: *see* Wever, H.W., 341
Dumas, G.A. and Rao, A.A. Influence of material properties on the mechanical behaviour of the L_5-S_1 intervertebral disc in compression: a nonlinear finite element study, 139
Dunlop W., Bartlett M.L.R. and Murray A. Properties of fetal heartbeat intervals during labour, 169
Dunn, J.W.: *see* Thomas, A.M.C., 58
Durrani, T.S.: *see* Badran, A.K., 281
Einav, S.: *see* Elad, D., 10
Elad D., Katz D., Kimmel E. and Einav S. Numerical schemes for unsteady fluid flow through collapsible tubes, 10
Essex T.J.H. and Byrne P.O. A laser Doppler scanner for imaging blood flow in skin, 189
Evans, G.P.: *see* Langton, C.M., 113
Evans, N.E. and Hajnayebi, H.R. Clinical temperature acquisition using proximity telemetry, 83
Fisher, A.C.: *see* Badran, A.K., 281
Foort, J.: *see* Morrison, J.B., 3
Forsberg, F.: *see* Deane, C.R., 249
Frampton, R.: *see* Bull, D.R., 321
Fraunhofer, J.A. and Stidham, S.H. Effects of fused-ring antibiotics on metallic corrosion, 424
Fumero, R.: *see* Pietrabissa, R., 407
Gaboriaud, G.: *see* Hawley, M.S., 197
Gammie, A.R.: *see* Hillman, M.R., 239
Gammie, A.: *see* Pullin, G., 215
Gasser, B., Russenberger, M.E., Berchtold, R., Wyder, D. and Perren, S.M. Value of coining on the improvement of endurance in slotted intramedullary nails, 287
Gehani, A.A.: *see* Ashley, S., 221
Ghista, D.: *see* Mazumdar, J., 473
Godlewski, P., Nagurka, M. and Wholey, M. Engineering investigation of the Kensey dynamic angioplasty catheter, 391
Goovaerts, H.G. and Rompelman, O. Coherent average technique – a tutorial review, 275
Goovaerts, H.G., Cohen, D., Dripps, J.H., Mantel, R., Mooney, P., Jongsma, H.W., Dalton, K.J. and van Geijn. A comparative clinical study of fetal phono-and movement-sensors from Amsterdam, Cambridge and Edinburgh, 495
Gough, M.J. and Hardy, S.C. Pharmacological manipulation of gastrocnemius muscle blood in an animal model of reperfusion injury, 263
Graichen F. and Bergmann G. Four-channel telemetry system for *in vivo* measurement of hip joint forces, 370
Guillaume, D.W. and Borrello, M.A. Simulating gas flow through the exhalation leg of a respirator's patient circuit, 77
Guillaume, D.W. and DeVries, D. Improving the pneumatic nebulizer by shaping the discharge of the capillary wick, 526
Guiot, C. and Losano, G. Relationship between hyperaemic response and visco-elastic properties in the coronary circulation of the dog, 459
Guzzwell, J.A.: *see* Wevers, H.W., 341
Hajnayebi, H.R.: *see* Evans, N.E., 83
Hardingham, C.R.: *see* Seifalian, A.M., 225
Hardy, S.C.: *see* Gough, M.J., 263
Harness J.B., Nasimi S.G.A.A., Mearns A.J. and Heath I. Quantitative measurement of sympathetic neuropathy in patients with diabetes mellitus, 203
Hastings, G.W.: *see* Rahmatalla, A.T., 97
Hastings, G.W.: *see* Knowles, J.C., 176
Hawkes, D.J.: *see* Seifalian, A.M., 225
Hawley M.S., Broquetas A, Jofre L, Bolomey J. Ch. and Gaboriaud G. Microwave imaging of tissue blood content changes, 197
Heath, I.: *see* Harness, J.B., 203
Heathfield, H.A., Winstanley, G. and Kirkham, N. Decision support system for the differential diagnosis of breast disease, 51
Heinegard, D.: *see* Aspden, R.M., 521
Hendershot, D.M.: *see* Phillips, C.A., 91
Hillman M.R., Pullin G.M., Gammie A.R., Stammers C.W. and Orpwood R.D. Clinical experience in rehabilitation robotics, 239
Hinrichs, H. EEG data compression by source coding techniques, 417
Hitchings, D.J. and Rostron, D.W. Production of reliability proven physiological data for use in automated monitoring and diagnostic systems, 255
Hon, Min-Hsiung: *see* Lin, Feng-Huei, 328
Hoopes, P.J.: *see* Ryan, T.P., 348
Hoorn, E.: *see* Verbraak, A.F.M., 27
Horwood, J.M.K.: *see* Woollons, D.J., 19
Huang, Yi-You: *see* Lin, Feng-Huei, 328
Humphries, C.: *see* Birch, M., 429
Hwang, N.H.C. and Shu, M.C.S. Haemodynamics of angioaccess venous anastomoses, 103
Jofre, L.: *see* Hawley, M.S., 197
Jongsma, H.W.: *see* Goovaerts, H.G., 495
Joshi, A.M.: *see* Reddy, N.P., 379
Kale, P.A.: *see* Puniyani, R.R., 441
Katz, D.: *see* Elad, D., 10
Kekwick, C.A.: *see* Woollons, D.J., 19
Kent, B.P., Wilkinson, D., Parkin, A. and Kester, R.C. Comparing subjective and objective assessments of the severity of vibration induced white finger, 260
Kent, P., Williams, G. and Kester, R.C. Altered sensitivity of digital blood flow to acute vibration in patients with vasospastic disease, 269
Kernohan, W.G.: *seed* Barr, D.A., 35
Kester, R.C.: *see* Ashley, S., 221
Kester, R.C.: *see* Kent, B.P., 260
Kester, R.C.: *see* Kent, P., 269
Khoo, B.C.C., McQueen, M.P.C. and Sandle, W.J. Use of texture analysis to discriminate between normal livers and livers with steatosis, 489
Kimmel, E.: *see* Elad, D., 10
Kirkham, N.: *see* Heathfield, H.A., 51

Knowles, J.C., Sell, P.J., Templeton, J. and Hastings, G.W. A simple device for production of experimental fracture in the rat femur, 176
Koubek, R.J.: *see* Phillips, C.A., 91
Kusumoputro, B.: *see* Ogura, E., 503
Kyberd, P.J.: *see* Chappell, P.H., 363
Laczkovics, A.: *see* Schreiner, W., 313
Lahoda, R.: *see* Schreiner, W., 313
Lakshmi, M.V., Tallis, R., Ribbands, M. and Hollis, S. Device for quantifying tactile neglect in stroke patients, 516
Landini, L., Santarelli, R., Pomata, F. and Verrazzani, L. Dynamically variable electronic delays for ultrasound imaging, 469
Langs, G.: *see* Perktold, K., 507
Langton, C.M., Riggs, C.M. and Evans, G.P. Pathway of ultrasound waves in the equine third metacarpal bone, 113
Larsson, T.: *see* Aspden, R.M., 521
Laufer, G.: *see* Schreiner, W., 313
Lee, J.W.: *see* Rim, K., 152
Lerche, D.: *see* Wendt, M.O., 126
Liggins, A.B.: *see* Bowker, P., 87
Lin, Feng-Huei, Huang, Yi-You, Hon, Min-Hsiung and Wu, Shih-Ching. Fabrication and biocompatibility of a porous bioglass ceramic in a Na_2O-CaO-SiO_2-P_2O_5 system, 328
Livi, R.: *see* Valli, G., 119
Losano, G.: *see* Guiot, C., 459
Luo, D.Z.: *see* Thomas, A.M.C., 58
Macaulay, J.: *see* Randall, N.S., 481
Macdonald, L.T.: *see* McFarlane, A.G., 74
Mani, R.: *see* Barnes, M.D., 185
Mantel, R.: *see* Goovaerts, H.G., 495
Mazumdar, J., Noone, G. and Ghista, D. Continuous model of the human scoliotic spine, 473
McCoy, G.F.: *see* Barr, D.A., 35
McFarlane, A.G. and Macdonald, L.T. Parameters of the ulnar medullary canal for locked intramedullary nailing, 74
McQueen, M.P.C.: *see* Khoo, B.C.C., 489
Mearns, A.J.: *see* Harness, J.B., 203
Melsen, B.: *see* Andersen, K., 293
Merkas, F.: *see* Schreiner, W., 313
Mollan, R.A.B.: *see* Barr, D.A., 35
Montevecchi, F.M.: *see* Pietrabissa, R., 407
Mooney, P.: *see* Goovaerts, H.G., 495
Morgan, R.H., Psaila, J.V., Stone, J., Carolan, G. and Woodcock, J.P. Effect of postural change on common femoral artery volume flow, measured by duplex ultrasound, in normal subjects and patients with peripheral disease, 244
Moriizumi, T.: *see* Ogura, E., 503
Morrison, J.B., Torres-Moreno, R., Saunders, C.G. and Foort, J. Computer-aided design and manufacture of an above-knee amputee socket, 3
Mortensen, H.T.: *see* Andersen, K., 293
Murray, A.: *see* Dunlop, W., 169
Nagurka, M.L.: *see* Godlewski, P., 391
Nakamura, M.: *see* Nishida, S., 433
Nasimi, S.G.A.A.: *see* Harness, J.B., 203
Natali A.N. A hyperelastic and almost incompressible material model as an approach to intervertebral disc analysis, 163
Naumann, S. and Apkarian, J.A. Stretch reflex inhibition using electrical stimulation in normal subjects and subjects with spasticity, 67
Neumann, M.: *see* Schreiner, W., 313
Nishida, S., Nakamura, M. and Shibasaki, H. Method of EEG waveform prediction for accurate recording of evoked potentials, 433
Nokes, L.D.M.: *see* Bull, D.R., 321
Noone, G.: *see* Mazumdar, J., 473
O'Hare, D., Winlove, C.P. and Parker, K.H. Electrochemical method for direct measurement of oxygen concentration and diffusivity in the intervertebral disc: electrochemical characterization and tissue–sensor interactions, 304
Ogura, E., Kusumoputro, B. and Moriizumi, T. Passage-time measurement of individual red blood cell through arrayed micropores on Si_3N_4 membrane, 503
Orpwood, R.D.: *see* Hillman, M.R., 239
Pan, Wei-Ping, Teng, Yan-He and Shen, Jun. Photoacoustic study of iron-deficiency anaemia, 415
Parker, K.H.: *see* O'Hare, D., 304
Parkin, A.: *see* Ashley, S., 221
Parkin, A.: *see* Kent, B.P., 260
Paul, J.P.: *see* Badran, A.K., 281
Pedersen, E.H.: *see* Andersen, K., 293
Pedotti, A.: *see* Zangemeister, W.H., 451
Peppiatt, T.N.: *see* Barnes, M.D., 185
Perktold, K., Peter, R.O., Resch, M. and Langs, G. Pulsatile non-Newtonian blood flow in three-dimensional carotid bifurication models: a numerical study of flow phenomena under different bifurication angles, 507
Perren, S.M.: *see* Gasser, B., 287
Peter, R.O.: *see* Perktold, K. 507
Petty M.G. Application of multilayer films to molecular sensors: some examples of bioengineering at the molecular level, 209
Phillips, C.A., Koubek, R.J. and Hendershot, D.M. Walking while using a sensory tactile feedback system: potential for use with a functional electrical stimulation orthosis, 91
Pietrabissa, R., Montevecchi, F.M. and Fumero, R. Mechanical characterization of a model of a multicomponent cardiac fibre, 407
Plusquellec, Y. and Hoopes, P.J. Relationship between loading dose and infusion rate to achieve any fraction of the steady-state level in any compartment model, 355.
Pohl, M.: *see* Wendt, M.O., 126
Pomata, F.: *see* Landini, L., 469
Premauer, W.: *see* Schreiner, W., 313
Preston White Jr, K.: *see* Radke-Sharpe, N., 43
Prosser, N.L.: *see* Woollons, D.J., 19
Psaila, J.V.: *see* Morgan, R.H., 244
Pullin, G.M.: *see* Hillman, M.R., 239
Pullin G. and Gammie A. Current capabilities of rehabilitation robots, 215
Puniyani, R.R., Ajmani, R. and Kale, P.A. Risk factors evaluation in some cardiovascular diseases, 441
Quarto, E.: *see* Castaldo, R., 465
Radke-Sharpe, N. and Preston White Jr, K. Arteriovenous ratios of angiotensin II during acute infusion experiments: a model-based analysis, 43
Rahmatalla, A.T., Hastings, G.W. Dove, J. and Crawshaw, A.H. A pedicle screw bridging device for posterior segmental fixation of the spine: preliminary mechanical testing results, 97
Rajan, S.: *see* Blamey, J., 180
Randall, N.S.,Bond, K., Macaulay, J. and Steer, P.J. Measuring fetal and maternal temperature differentials: a probe for clinical use during labour, 481
Rane, M.B.: *see* Reddy, N.P., 379
Rao, A.A.: *see* Dumas, G.A., 139
Reddy N.P., Canilang E.P., Casterline J., Rane, M.B., Joshi, A.M., Thomas, R. and Candadai, R. Noninvasive accelcration measurements to characterize the pharyngeal phase of swallowing, 379
Rees, M.R.: *see* Ashley, S., 221
Reidy, J.F.: *see* Seifalian, A.M., 225
Rekik, L.: *see* de Biasi, J., 439
Resch, M.: *see* Perktold, K., 507
Ribbands, M.: *see* Vijaya Lakshmi, M., 516
Riggs, C.M.: *see* Langton, C.M., 113
Rim K. and Lee J.W. Measurement of finger joint angles and maximum finger forces during cylinder grip activity, 152
Roberts, V.C.: *see* Deane, C.R., 249
Robertson, K.P.: *see* Tappin, J.W., 39
Rompelman, O.: *see* Goovaerts, H.G., 275
Rostron, D.W.: *see* Hitchings, D.J., 255
Rothy, W.: *see* Schreiner, W., 313
Russenberger, M.E.: *see* Gasser, B., 287
Ryan, T.P., Wikoff, R.P. and Hoopes, P.J. Design of an automated temperature mapping system for ultrasound or microwave hyperthermia, 348
Sandle, W.J.: *see* Khoo, B.C.C., 489
Santarelli, R.: *see* Landini, L., 469
Saunders, C.G.: *see* Morrison, J.B., 3
Schreiner, W., Laufer, G., Neumann, M., Lahoda, R., Premauer, W., Merksa, F., Teufelsbauer, H., Röthy, W., Laczkovics, A. and Wolner, E. A beat-by-beat analysis of electrocardiograms from cardiac transplant recipients, 313
Seifalian A.M., Hawkes D.J., Hardingham C.R., Colchester A.C.F. and Reidy J.F. Validation of a quantitative radiographic technique to estimate pulsatile blood flow waveforms using digital subtraction angiographic data, 225
Sell, P.J.: *see* Knowles, J.C., 176
Shaw, D.B.: *see* Woollons, D.J., 19
Shen, Jun *see* Pan, Wei-Ping, 415
Shibasaki, H.: *see* Nishida, S., 433
Shoucri, R.M. Pump function of the heart as an optimal control problem, 384
Shu, M.C.S.: *see* Hwang, N.H.C., 103
Sibly T.F. and Unsworth A. Wear of cross-linked polyethylene against itself: a material suitable for surface replacement of the finger joint, 217
Singh, V.R. and Agarwal, R. Detection of quartz in renal calculi to exhibit piezoelectricity, 360
Stammers, C.W.: *see* Hillman, M.R., 239
Steer, P.J.: *see* Randall, N.S., 481
Stidham, S.H.: *see* Fraunhofer, J.A., 424
Stock, C.: *see* Birch, M., 429
Stone, J.: *see* Morgan, R.H., 244
Strasberg, B.: *see* Abboud, S., 133
Svensson, R.: *see* Aspden, R.M., 521
Tallis, R.: *see* Vijaya Lakshmi, M., 516
Tappin, J.W. and Robertson, K.P. Study of the relative timing of shear forces on the sole of the forefoot during walking, 39
Tarassenko, L.: *see* de Kock, J.P., 61
Templeton, J.: *see* Knowles, J.C., 176
Teng, Yan-He: *see* Pan, Wei-Ping, 415
Teufelsbauer, H.: *see* Schreiner, W., 313
Thomas, A.M.C., Luo, D.Z. and Dunn, J.W. Response of human femur to mechanical vibration, 58
Thomas, N.: *see* Deane, C.R., 249
Thomas, R.: *see* Reddy, N.P., 379
Thorley, P.: *see* Ashley, S., 221
Torres-Moreno, R.: *see* Morrison, J.B., 3
Unsworth, A.: *see* Blamey, J., 180
Unsworth, A.: *see* Sibly, T.F., 217
Valli, G., Cagnoni, S., Coppini, G., and Livi, R. Knowledge-based system for the diagnosis and treatment of hypertension, 119
van Geijn, H.P.: *see* Goovaerts, H.G., 495
Verbraak, A.F.M., Hoorn, E., de Vries, J., Bogaard, J.M. and Versprille, A. A lung function information system, 27
Verrazzani, L.: *see* Landini, L., 469
Versprille, A.: *see* Verbraak, A.F.M., 27
Wendt, M.O., Pohl, M. and Lerche, D. Leakage of mechanical heart valve prostheses of the Björk–Shiley type: *in vitro* investigations using Newtonian fluids, 126
Wevers, H.W., Dujovne, A.R., Guzzwell, J.A. and Cooke, T.D.V. The physiological basis for a flexible condylar tibial plateau design, 341
Whistance, A.W.T.: *see* Woollons, D.J., 19
Wholey, M.: *see* Godlewski, P., 391
Wikoff, R.P.: *see* Ryan, T.P., 348
Wilkins, E.: *see* Xie, S-L., 375
Wilkins E.S. Tissue reaction to intraperitoneally implanted catheter materials, 173
Wilkinson, D.: *see* Kent, B.P., 260
Williams, G.: *see* Kent, P., 269
Williams, J.L.: *see* Austriaco, N.R., 486

Winlove, C.P.: *see* O'Hare, D., 304
Winstanley, G.: *see* Heathfield, H.A., 51
Wolner, E.: *see* Schreiner, W., 313
Woodcock, J.P.: *see* Morgan, R.H., 244
Woollons, D.J., Prosser, N.L., Horwood, J.M.K., Baker, J., Shaw, D.B., Kekwick, C.A. and Whistance, A.W.T. Clinical trials of a dual-sensor diagnostic pacemaker, 19
Wu, Shih-Ching: *see* Lin, Feng-Huei, 328
Wyder, D.: *see* Gasser, B., 287
Xie S-L and Wilkins E. Rechargeable glucose electrodes for long-term implantation, 375
Yahia, L.H., Audet, J. and Drouin, G. Rheological properties of the human lumbar spine ligaments, 399
Zangemeister, W.H., Bulgheroni, M.V. and Pedotti, A. Normal gait is differentially influenced by the otoliths, 451

SUBJECT INDEX

Acuson 128
  colour Doppler ultrasound, hydrophone measurements, flow-rig tests, 249
aids for the disabled
  robot, wheelchair, workstation, 215
    microcomputer, robot, workstation, 239
algorithm
  see ventilator exhalation system
ambulatory cardiac monitoring
  diagnostic pacemaker, clinical trials, 19
analogue-to-digital conversion
  sampling, quantization filtering, 275
  angiotensin II
  compartmental modelling, dose-response
  arterial blood pressure regulation, 43
angular speed
  vibration, knee joint, arthrometry, frequency analysis, 33
antibiotics
  corrosion, implants, inhibition, 424
angiotensin II, compartmental modelling, dose-response, 43
arterial oxygen saturation
  pulse oximetry, *in vitro* model, 61
arteriovenous conduit
  angioaccess graft, flow visualization, laser Doppler mapping, 103
arthrometry
  vibration, knee joint, angular speed, frequency analysis, 33
articular cartilage
  mechanical testing, computer control, 521
atherosclerotic tissue
  Kensey catheter, distal embolization, revascularization, 391
autonomic neuropathy
  diabetic mellitus, skin capillary blood flow, sympathetic vascular tone, 203
bidirectional filter
  ECG, Fourier transform filter, 133
bifurication models
  carotid artery, Navier–Stokes equations, numerical analysis, 507
biocompatibility
  bioglass ceramics, microstructure, 328
biological engineering
  electro-rheology, 234
biomechanics
  tibia, implant, finite element, design, 341
  implantable telemetry, instrumented hip prostheses, joint forces, 370
biomedical engineering
  professional specialization, clinical environments, 267
blood flow
  imaging, laser Doppler scanner, skin, 189
  microwave, imaging, tomography, perfusion, 197
  X-ray angiographic image processing, blood flow velocity, digital subtraction angiographic, 225
  vibration induced white finger, Raynaud's phenomenon, 269
blood flow measurement
  laser angioplasty, peripheral arterial disease, 221
blood flow velocity
  X-ray angiographic, image processing, digital subtraction, 225
bone
  femur, vibration analysis, joint replacement, 58
  vibration analysis, internal fixation plates, *in vitro*, 321
bone mechanics
  intervertebral disc, numerical model, 163
bone screws
  spine, mechanical assessment, 97
breast disease
  decision support, differential diagnosis, hypergraphs, 51
CAD/CAM
  prosthetics, socket, 3
capillary wick
  nebulizers, drug delivery, 526
capnography
  end-tidal CO_2, rebreathing distortion, 500
cardiac fibre
  cardiac muscle mechanics, model, 407
cardiac transplantation
  signal acquisition, electrocardiogram, Fourier analysis, 313
cardiovascular model
  Windkessel model, stenosis, regurgitation, valve orifice, 335
cardiovascular system
  coronary circulation, physical models, mechanical properties, 459
carotid artery
  bifurication models, Navier–Stokes equations, numerical analysis, 507
clinical environments
  biomedical engineering, professional specialization, 267
clinical thermometry
  temperature sensor, telemetry, 83
clinical trials
  ambulatory cardiac monitoring, diagnostic pacemaker, 19
  aids for the disabled, microcomputer, robot, workstation, 239
cluster analysis
  knowledge-based systems, hypertension, principal component analysis, 119
coining
  intramedullary nail, implant failure, 287
colour Doppler ultrasound
  hydrophone measurements, flow-rig tests, Acuson 128, 249
compartmental model
  pharmacokinetics, loading dose, 355
compartmental modelling
  angiotensin II, dose-response models, arterial blood pressure regulation, 43
computer control
  articular cartilage, mechanical testing, viscoelastic, 521
computer modelling
  see ventilator exhalation system
computer-aided design
  prosthetics, socket, CAD/CAM, 3
computing
  lung function, medical informatics, follow-up, 27
continuous model
  scoliosis, curve progression, 473
control
  hand prosthesis, prehension capabilities, 363
coronary circulation
  physical models, mechanical properties, 459
corrosion
  implants, antibiotics, inhibition, 424
cross-linked polyethylene
  wear testing, metacarpo–phalangeal joint, 217
cross-matching
  patient alignment, magnetic resonance, image processing, 281
curve progression
  continuous model, scoliosis, muscle actions, 473
cylindrical grip
  see joint anglesphotogrammetry
data compression
  EEG, 417
decision support
  differential diagnosis, breast disease, hypergraphs, 51
densitometry
  trabecular bone, digital image analysis, 486
design
  tibia implant, biomechanics, finite element, 341
diabetes
  enzyme electrode, long term implantation, 375
  skin microcirculation, laser Doppler flowmetry, transcutaneous oxygen, 185
diabetic mellitus
  autonomic neuropathy, skin capillary blood flow, sympathetic vascular tone, 203
diagnostic pacemaker
  ambulatory cardiac monitoring, clinical trials, 19
differential diagnosis
  decision support, breast disease, hypergraphs, 51
digital image analysis
  trabecular bone, densitometry, 486
  digital subtraction angiographic blood flow, X-ray image processing, 225
digital system architectures
  monitoring systems, noise, 255
distal embolization
  Kensey catheter, atherosclerotic tissue, revascularization, 391
Doppler ultrasound
  ultrasonics, regional blood flow, 244
dose-response models
  angiotensin II, blood pressure regulation, 43
drug delivery
  nebulizers, capillary wick, 526
dysphagia
  stroke and head injured patients, noninvasive assessments, 379
ECG
  late potentials, QRS complex, 133
EEG
  data compression, 417
  waveform prediction, least square method, 433
electrical stimulation
  stretch reflex, inhibition, gait, spasticity, 67
electro-rheology
  biological engineering 234
electrocardiogram
  signal acquisition, Fourier analysis, 313
end-tidal CO_2
  capnography, rebreathing distortion, 500
evoked potential
  EEG waveform prediction, model, least squares method, recording, 433
enzyme electrode
  long term implantation, diabetes, 375
femur

bone, vibration analysis, joint replacement, 58
FES orthosis
gait restoration, sensory substitution, 91
fetal RR
fetal heartbeat intervals, fetal monitoring, labour, 169
fetal monitoring
fetal RR, fetal heartbeat intervals, labour 169
fetal phonocardiography
fetal movement, fetal breathing movements, 495
fetus
temperature, monitoring, probe, 481
finger forces
cylindrical grip, joint anglesphotogrammetry, pressure-sensitive film, 152
finite element model
tibia, implant, biomechanics, design, 341
intervertebral disc, L_5-S_1, Young's modulus, 139
flow visualization
haemodialysis angioaccess graft, arteriovenous conduit, occlusive lesions, laser Doppler mapping, 103
flow-rig tests
colour Doppler ultrasound, hydrophone measurements, Acuson 128, 249
fluid flow
numerical methods, Lax-Werdroff scheme, MacCormack scheme, 10
fluid-film lubrication
polyurethanes, hip prosthesis, *in vitro* degradation, 180
forefoot
shear forces, walking, 39
Fourier analysis
signal acquisition, electrocardiogram, 313
Fourier transform filter
ECG, late potentials, 133
frequency analysis
vibration, knee joint, arthrometry, angular speed, 33
gait
stretch reflex, inhibition, electrical stimulation, spasticity, 67
gait analysis
vestibular-neck-influence on gait, kinematical-EMG-forceplate analysis, gaze–gait control, 451
gait restoration
sensory substitution, paraplegia, tactile feedback, FES orthosis, 91
gas flow
ventilator exhalation system, computer modelling, algorithm, 77
gaze–gait control
see gait analysis
haem synthesis
photoacoustic spectroscopy, whole blood, 415
haemodialysis angioaccess graft
arteriovenous conduit, occlusive lesions, flow visualization, laser Doppler mapping, 103
haemorheology
whole blood viscosity, 441
hand prosthesis
control, prehension capabilities, 363
heart
pump function, mathematical models, 384
heart valves
leakage, *in vitro* investigation, 126
hip prosthesis
polyurethanes, *in vitro* degradation, fluid-film lubrication, 180
hydrophone measurements
colour Doppler ultrasound, flow-rig tests, Acuson 128, 249
hypergraphs
decision support, differential diagnosis, breast disease, 51
hypertension
knowledge-based systems, cluster analysis, 119
hyperthermia
microwave, ultrasound, stepper motor, 348
hysteresis
spinal ligaments, rheology, load relaxation, 399
i.p. catheters
tissue reaction, insulin delivery catheters, 173
image processing
patient alignment, magnetic resonance, cross-matching, 281
blood flow, X-ray angiographic, blood flow velocity, digital subtraction angiographic, 225
imaging
see blood flow
implant
tibia, biomechanics, finite–element, design, 341
implant failure
intramedullary nail, coining, endurance, 287
implantable telemetry
instrumented hip prostheses, joint forces, biomechanics, 370
implants
corrosion, antibiotics, inhibition, 424
in vitro degradation
polyurethanes, hip prosthesis, fluid-film lubrication, 180
in vivo electrochemistry
intervertebral disc, microelectrodes, 304
infusion
pharmacokinetics, loading dose, compartmental model, mammillary and catenary model, 355
instrumented hip prostheses
implantable telemetry, joint forces, biomechanics, 370
insulin delivery catheters
tissue reaction, i.p. catheters, 173
internal fixation plates
vibration analysis, *in vitro*, bone, 321
intervertebral disc
finite element model, L_5-S_1, 139
numerical model, bone mechanics, 163
microelectrodes, *in vivo* electrochemistry, 304
intramedullary nail
see coining
ischaemia
vascular surgery, postoperative complications, disease models, reperfusion injury, 263
isotope limb blood flow
see vibration induced white finger
joint anglesphotogrammetry
finger forces, cylindrical grip, pressure-sensitive film, 152
joint forces
implantable eltemetry, instrumented hip prostheses, biomechanics, 370
joint replacement
bone, femur, vibration analysis, 58
Kensey catheter
atherosclerotic tissue, distal embolization, revascularization, 391
kinematical-EMG-forceplate analysis
see gait analysis
knee joint
see arthrometry
knowledge-based systems
see hypertension
Langmuir–Blodgett technique
ultra-thin organic films, molecular electronic devices, sensors, 209
laser Doppler mapping
see haemodialysis angioaccess graft
laser Doppler scanner
see blood flow
laser angioplasty
also blood flow measurement
laser Doppler flowmetry
skin microcirculation, diabetes, venous insufficiency, transcutaneous oxygen, 185
late potentials
ECG, QRS complex, Fourier transform filter, bidirectional filter, 133
Lax–Werdroff scheme
fluid flow, MacCormack scheme, 10
leakage
heart valves, *in vitro*, investigation, 126
least square method
EEG waveform prediction, EEG model, evoked potential, recording, 433
load relaxation
spinal ligaments, rheology, hysteresis, 399
loading dose
see compartmental model
locked intramedullary nail
ulna fractures, stabilization device, 74
lung function
medical informatics, computing, follow-up, 27
magnetic resonance
patient alignment, image processing, cross-matching, 281
mammillary model
pharmacokinetics, loading dose, 355
pharmacokinetics, spiroarsorane molecules, 439
mechanical assessment
bone screws, spine, 97
mechanical testing
see articular cartilage
medical informatics
lung function, computing, follow-up, 27
metacarpel bone
ultrasound, sonic pathway, *in vitro* study, 113
metacarpo–phalangeal joint
wear testing, cross-linked polyethylene, 217
microelectrodes
intervertebral disc, *in vivo* electrochemistry, 304
microstructure
bioglass ceramics, biocompatibility, 328
microwave imaging
hyperthermia, ultrasound, stepper motor, 348
imaging, tomography, perfusion, blood flow, 197
molecular electronic devices
Langmuir–Blodgett technique, ultra-thin organic films, sensors, 209
monitoring
fetus, temperature, probe, 481
monitoring systems
digital system architectures, noise, 255
multiple scattering
pulse oximetry, *in vitro*, model, arterial oxygen saturation, 61
muscle actions
continuous model, scoliosis, curve progression, 473
muscle mechanics
nasal resonance
phase locking, pressure ratio, 429
nebulizers
capillary wick, drug delivery, 526
Navier–Stokes equations
carotid artery, bifurication models, 507
noise
monitoring systems, digital system architectures, 255
noninvasive assessments
Dysphagia, stroke and head injured patients, pharyngeal phase of swallowing, 379
numerical methods
fluid flow, Lax–Werdroff scheme, MacCormack scheme, 10
numerical model
intervertebral disc, vertebrae, bone mechanics, 163
orthodontics
3D-Finite element, structure optimization, periodontal ligament, stress–strain, 293
paraplegia
gait restoration, sensory substitution, tactile feedback, FES orthosis, 91
patient alignment
magnetic resonance, image processing, cross-matching, 281
perceptual deficits

stroke, tactile neglect, rehabilitation, 516
perfusion
microwave, imaging, tomography, blood flow, 197
periodontal ligament
see orthodontics
peripheral arterial disease
blood flow measurement, laser angioplasty, 221
pharmacokinetics
mammillary model, spiroarsorane, 439
loading dose *see* compartmental model
phase locking
nasal resonance, pressure ratio, 429
photoacoustic spectroscopy
haem synthesis, whole blood, 415
polyurethanes
hip prosthesis, *in vitro* degradation, fluid-film lubrication, 180
postoperative complications
vascular surgery, ischaemia, disease models, reperfusion injury, 263
postural control
ultrasonics, Doppler ultrasound, regional blood flow, volume flow, 244
prehension capabilities
hand prosthesis, control, 363
pressure-sensitive film
finger forces, cylindrical grip, joint anglesphotogrammetry, 152
principal component analysis
hypertension, cluster analysis, 119
probe
fetus, temperature, monitoring, 481
programmable delay line
ultrasound imaging, 469
prosthetics
socket, CAD/CAM, computer-aided design, 3
pulse oximetry
in vitro model, arterial oxygen saturation, multiple scattering, 61
QRS complex
ECG, late potentials, 133
quantization filtering
see analogue-to-digital conversion
RBC deformability
RBC filtration, 503
Raynaud's phenomenon
vibration induced white finger, 269
vibration induced white finger isotope limb blood flow, 260
regional blood flow
ultrasonics, Doppler ultrasound, volume flow, postural control, 244
regurgitation
see Windkessel model
rehabilitation
elderly, stroke, perceptual deficits, tactile neglect, 516
reperfusion injury
vascular surgery, ischaemia, postoperative complications, disease models, 263
revascularization
Kensey catheter, atherosclerotic tissue, distal embolization, 391
rheology
spinal ligaments, hysteresis, load relaxation, 399
robot
see aids for the disabled
sampling
analogue-to-digital conversion, quantization filtering, 275
scoliosis
continuous model, curve progression, muscle actions, 473
sensors
Langmuir–Blodgett technique, ultra-thin organic films, molecular electronic devices, 209
shear forces
walking, forefoot, 39
signal acquisition
signal analysis, cardiac transplantation, electrocardiogram, Fourier analysis, 313
skin capillary blood flow
autonomic neuropathy, diabetic mellitus, sympathetic vascular tone, 203
diabetes, venous insufficiency, laser Doppler flowmetry, transcutaneous oxygen, 185
socket
prosthetics, CAD/CAM, computer-aided design, 3
sonic pathway
ultrasound, metacarpel bone, *in vitro* study, 113
spinal ligaments
rheology, hysteresis, load relaxation, 399
spine
bone screws, mechanical assessment, 97
spiroarsorane molecules
mammillary model, pharmacokinetics, 439
stabilization device
ulna fractures, locked intramedullary nail, 74
steatosis
ultrasound, texture analysis, 489
stenosis
• *see* Windkessel model
stepper motor
see ultrasound
stress–strain
see orthodontics
stretch reflex
inhibition, electrical stimulation, gait, spasticity, 67
stroke
see rehabilitation
or dysphagia, noninvasive assessments, pharyngeal phase of swallowing, 379
sympathetic vascular tone
see autonomic neuropathy
tactile feedback
see gait restoration
tactile neglect
see stroke
telemetry
clinical thermometry, temperature sensor, 83
temperature sensor
clinical thermometry, telemetry, 83
fetus, monitoring, 481
texture analysis
ultrasound, steatosis, 489
thermography
see vibration induced white finger, isotope limb blood flow
tibia
implant, biomechanics, finite element, design, 341
tomography
see microwave imaging
trabecular bone
densitometry, digital image analysis, 486
transcutaneous oxygen
see diabetes
ulna fractures
locked intramedullary nail, stabilization device, 74
ultra-thin organic films
see Langmuir–Blodgett technique
ultrasonics
see Doppler ultrasound
ultrasound
sonic pathway, metacarpel bone, *in vitro* study, 113
hyperthermia, microwave, stepper motor, 348
steatosis, texture analysis, 489
ultrasound imaging
programmable delay line, 469
valve orifice
see Windkessel model
vascular surgery
ischaemia, postoperative complications, disease models, reperfusion injury, 263
venous insufficiency
see diabetes
ventilator exhalation system
gas glow, computer modelling, algorithm, 77
vertebrae
intervertebral disc, numerical model, bone mechanics, 163
vestibular-neck-influence on gait
see gait analysis
vibration analysis
bone, femur, joint replacement, 58
internal fixation plates, *in vitro*, bone, 321
vibration induced white finger
see Raynaud's phenomenon
viscoelastic
see articular cartilage
volume flow
see Doppler ultrasound
walking
shear forces, forefoot, 39
wear testing
cross-linked polyethylene, metacarpo–phalangeal joint, 217
wheelchair
see aids for the disabled
Windkessel model
stenosis, regurgitation, valve orifice, 335
workstation
see aids for the disabled, robot
X-ray angiographic
blood flow, image processing, 225
Young's modulus
intervertebral disc, finite element model, L_5-S_1, 139